


Please check:
 number of steps: 4
 depth over all steps: 850mm
 vertical: 446mm
 height step 1: 150mm
 height last step: 149mm
 nose to nose: 960mm

Platform Lift STRAIGHT EN81-40 compliant
 Right hand (as viewed from lower level)
 Platform Size: 1210x830mm
 Platform 225kg Loading capacity
 Powder coated in standard RAL 9006
 Mounting: stanchions
 2x Wall mounted operating unit incl. keyswitch
 Inside installation

Front mounted third access ramp
 Voice output module
 Platform folding support

Production approval:
 I hereby order the lift system as shown on the drawing and confirm that the layout of the railway is correct. All natural measurements are based on facts given from you. Ascendor is not responsible for charges which are a result from wrong stated measurements. By confirming the installation drawing, I also accept the GTCs and the final associated offer.

date, sign



230V power supply line (cable 3x1.5mm²) to the desired mounting point of the battery charger must be supplied on site. Additional earth connection on the rail/stanchions (min. 6mm²) required. Furthermore, fuse protection with a maximum of 13A and an earth-leakage circuit breaker with a tripping fault current of 0.03A must be provided. Adequate staircase lighting which is independent of a timer must be provided by the customer. A minimum light intensity of 50 lux must be available. The operator guarantees that there are no supply lines (underfloor heating, electricity, gas, water pipes, etc.) in the area of the stanchions or wall fixings. Shearing and crushing points that are closer than 100mm to non-contact protected moving parts of the system must be fully covered on site. A full-surface rail covering in accordance with the applicable building regulations must be provided by the customer. The user should carry a fully functional mobile phone with him/her on each journey.

F Standard stanchions 80x60mm
 galvanized and powder coated RAL 9006

A = 800mm
 B = 1050mm
 C-D = 1250mm (2x)

<a> ... required space rail
 ... required space Platform closed
 <c> ... required space Platform open

Zuschnitt Abdeckung:
 Winkel=27.686°
 X=468mm // Y=208mm
 X=205mm // X+H=540mm

		Dateityp: ASSEM			
		Kanten		Maßstab 1:20	
		Datum		Name	
		Bear. 09.12.2021		Kaar	
		Gepr.			
		Norm			
				Benennung:	
				Zeichnungsnummer:	
				Blatt1	
Zust.	Änderung	Datum	Nam. (Urspr.)	(Ers.f.)	(Ers.d.)