

CIBES LIFT

Site reference	Clayfield
Model	A 5000
Date	

EOS ID.

Tender no.

Order no.




PLEASE FIND YOUR NEW LIFT SOLUTION


Thank you for your interest in Cibes Lift Group products. Safe, energy-efficient and durable, a platform lift by cibes is a smart and cost-efficient choice. It is our hope that this folder may assist you in your decision.




A 5000

The lift is designed to have a small footprint and a maximum of space inside. Explore our lift solution for your site.







TECHNICAL INFORMATION

Travel information

Haad room	2200
Head room	2300 mm
Travel height	3170 mm
Landing G	0 mm
Landing 1	3220 mm
Shaft Information	
Lift shaft dimension(WXD)	1460 mm X 1515 mm
Shaft cutout sizes	1499.5 mm X 1630 mm
Colour Shaft	RAL 9016 GU 70 Traffic White
Colour Corner Profiles	RAL 9016 GU 70 Traffic White
Glass colour	Clear glass std
Glass frame colour	RAL 9016 GU 70 Traffic White
Total number of doors	2
Doors on A side	2
Doors on B side	0
Doors on C side	0

1

YOUR PLATFORM LIFT HAS BEEN CUSTOMISED

Thank you for your interest in exploring our lift solution for your site. It is our hope that this customized lift information will assists you in your decision process. Please observe that all images and colour samples in this brochure are for inspirational purposes only. The illustrations have limitations for details, exact color, texture and dimensional tolerances. Please contact our sales representatives for final details. For critical colour matches, we advise you to use physical colour samples.



NOTE: The button labels are not according to your configuration

THE PLATFORM

The platform lift is a great way to add comfort, beauty and value to your building. The platform finishes are described in the below table:

Platform details

Safety bar	Anodized aluminium
Control panel	Anodized aluminium
Back wall	RAL 9016 GU 70 Traffic White
Floor	Black altro pitch vm2020p (std)













1467mm


www.directlifts.com.au


Cibĕs

Landing G

CALL BUTTON -Autolock key retract ON/OFF pos.










Landing G	Door type AL5
Clear door opening size (WxH)	900mm X 2070mm
Door colour	RAL 9016 GU 30 Traffic White STD
Door opener	Door closer
Door placement	А
Glass	Standard clear glass
Call button	Autolock key retract ON/OFF pos.
Level indicator	No level indicator


Cibĕs

Landing 1

CALL BUTTON -Autolock key retract ON/OFF pos.









Landing 1	Door type AL5
Clear door opening size (WxH)	900mm X 2070mm
Door colour	RAL 9016 GU 30 Traffic White STD
Door opener	Door closer
Door placement	А
Glass	Standard clear glass
Call button	Autolock key retract ON/OFF pos.
Level indicator	No level indicator

4

Cibĕs



